

STATE OF ALABAMA



OFFICE OF INFORMATION TECHNOLOGY

STANDARD 510S1: Zone Architecture

VERSION NUMBER Standard 510S1-01

August 15, 2019 **VERSION DATE**

STANDARD TITLE Zone Architecture

GOVERNING POLICY This standard is governed by Policy 510: Security and Privacy

Architectures, regardless of revision.

OBJECTIVE The objective of his standard is to define the broad architectural

requirements, basic components, and primary functions of a security

zone architecture.

STANDARD To ensure the confidentiality and integrity of state data, the Alabama

enterprise network (i.e., the network managed by the Office of Information Technology (OIT)) uses security zones to control and restrict access. The multi-zone network architecture depicted in

Figure 1 is an approved state standard for a zoned architecture.

REQUIREMENTS A security zone is a portion of a network that has specific security

requirements. Zones are typically separated using a firewall. The security zones defined for this architecture are as follows (refer also

to Figure 1 on page 4):

1. USER ZONE:

All users, whether internal and utilizing a client system on a state domain or external and connecting via the public Internet or virtual private network, are treated the same with regard to accessing

systems and services in the next applicable zone.

2. FRONT END ZONE - SECURITY:

This zone provides the security services to the front-end zone. Using reverse proxy and web application firewall many common types of attacks made against websites and web servers can be

identified and blocked.

3. FRONT END ZONE:

The front-end zone is the outward facing level of the architecture. The front-end zone is a sub-network (set of networks) that is used to provide services to the users without allowing the users direct access to data stores or other protected services or systems in the state network.

The following services/systems typically reside in the front-end zone:

- HTTP(S)
- FTP
- NTP
- SSH
- SharePoint Front End
- Public DNS

4. MIDDLE ZONE – SECURITY:

This zone provides the security services for the middle zone (when required). The SOA / XML Gateway provides protection between the front-end zone and the data zone.

5. MIDDLE ZONE:

The middle zone, sometimes referred to as the application or business logic layer, logically resides between the front-end zone and the data zone. This zone is responsible for accessing the data zone to retrieve, modify and/or delete data, apply various processing functions to that data, and send the results to the devices in the front-end zone.

The following services/systems typically reside in the Middle Zone:

- Web Services/Applications
- SharePoint Applications
- File Shares
- WINS
- Email
- Private DNS

The middle zone is not required for every application, but it is required when multiple front-end services will access the same database.

6. DATA ZONE:

The data zone hosts databases and database servers that store and retrieve information. This zone keeps data neutral and independent from application servers and business logic. Giving data its own zone improves scalability and performance in addition to minimizing the risk of unauthorized access attempts. The data zone may be segmented to isolate database systems from one another.

The following services and systems typically reside in the Data Zone:

- Active Directory
- SOL/Oracle
- SharePoint Database
- Mainframe

Access to the data zone is limited to authorized database administrators and applications.

7. LOGGING ZONE - SECURITY:

The logging zone will collect security event log information from any or all the other zones including, but not limited to, database transaction logs from the data zone and authentication data from the front-end zone. Centralized logging simplifies event correlation.

The following services and systems typically reside in the Logging Zone:

- Database transaction log duplication
- System logs
- Server Security logs
- SNMP Collation

Access to the logging zone is limited to authorized security administrators only.

Internal External User Zone User FW/IPS Front End Zone - Security Reverse Proxy / Web Application Firewall FW/IPS Front End Zone Front End / Web Server FW/IPS Middle Zone - Security SOA / XML Gateway FW/IPS Middle Zone Application / Web Services FW/IPS Data Zone Database Mainframe FW/IPS Logging Zone - Security Database Logging, Security, and Compliance

Figure 1. Multi-Zone Network Architecture

SUPPORTI	NG
DOCUMEN	TS

The following documents support this standard:

• Policy 510: Security and Privacy Architectures

The following special publications (SP) of the National Institute of Standards and Technology (NIST) support this standard and may aid in its implementation:

- NIST SP 800-39: Managing Information Security Risk
- NIST SP 800-53R4: Security and Privacy Controls for Federal Information Systems and Organizations

EFFECTIVE DATE

This standard is effective upon its approval by the Secretary of Information Technology, as evidenced by the signature of the Secretary being affixed hereto.

SUPERSEDES

This standard supersedes legacy Standard 500S1: Network Architecture Standard.

The undersigned, as	Acting Secret	tary of Information	nation Te	echnology	of the	State o	f Alabar	ma
exercising the power	vested in that	Office by the	laws of t	this state,	declares	this sta	ndard to	be
adopted as of the	day of			, 2019.				

Marty Redden

Acting Secretary of Information Technology

DOCUMENT CHANGE HISTORY

Version	Release Date	Comments
500S1-00	09/12/2012	Original document
510S1-01	08/15/2019	Document number, title, and format changes - DRAFT